

**WE ARE
PRO CLASS**

GRANDE RONDE



ARCTIC FOX



NORTH FORK

NORTHWOOD

WWW.NORTHWOODMFG.COM

**NIW
PRO CLASS**

WE ARE *PRO CLASS*



WINDSWEPT SERENITY INTERIOR

MM
MM
PRO CLASS
MM



DESERT PALMS INTERIOR

MIW
PRO CLASS



SOLITAIRE AZUL INTERIOR



25Y WINDSWEPT SERENITY



28F WINDSWEPT SERENITY



**ARCTIC FOX
NORTH FORK
TRAVEL TRAILERS**





NORTH FORK

29RK WINDSWEPT SERENITY



32A DESERT PALMS



What is **ABSOLUTE NORTHWOOD**?

Our Commitment to:



**QUALITY
STRENGTH
DURABILITY**

When you purchase an Arctic Fox, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in an Arctic Fox remains higher, and your investment retains its value longer. If you ever decide to trade in your Fox, you will get top dollar. That is why you don't see many used Arctic Foxes on the market, folks buy them up as quickly as they become available because Arctic Fox has a reputation for durability and longevity.



CHASSIS

Custom Built, Tested, Certified



FRAME

Thick Wall Aluminum w/Solid Anchor Blocking



ROOF

Full Walk On, Bonded Roof Truss System



CABINETS

Wall & Ceiling Mounted, Face Frame Construction



INSULATION

A True 4 Season Coach

NORTHWOOD BUILT CERTIFIED CHASSIS



WE BUILD OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS

We are one of the few manufacturers that build their own chassis. The name **NORTHWOOD** is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.




THICK WALL TUBULAR ALLUMINUM SUPERSTRUCTURE

.060"-.125"
(Up to 1/8" Thick)
heavy gauge thick
wall aluminum
tubing in our
travel trailers
& fifth wheels.



SOLID CORE ANCHOR BLOCKING AND CONTINUOUS WELDS




Now that's an **ABSOLUTE**
Quality Superstructure!

BONDED ROOF TRUSS/ FULL WALK-ON ROOF



UP TO 4" OF EXTRA HEADROOM

The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.



Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.



Northwood's Bow Trusses

5-1/2 inch center height gives the roof plenty of runoff slope to eliminate standing water.



CUSTOM BUILT FACE FRAME CABINETS

CABINETS W/SOLID WOOD DOORS,
BUILT USING RESIDENTIAL FACE FRAME
CONSTRUCTION METHODS &
INTEGRATED WITH THE WALL & CEILING.

BEAUTIFUL & STRONG



Solid Wood
cabinet doors ensure
lasting beauty and
rugged strength.



Face Frame
construction gives our
cabinets 'high end'
residential quality.



Structurally Integrated
cabinetry is
anchored to the
walls and ceiling
structure of our
coaches making both
the RV and the
cabinets stronger.

A TRUE FOUR SEASON ALL CONDITIONS UNIT



HEATED ENCLOSED HOLDING TANKS & DUMP VALVES DESIGNED FOR COLD NORTHERN & HOT SOUTHERN CLIMATES

Northwood builds true 4-Season Coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing. Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.





**ARCTIC FOX
GRANDE RONDE
5TH WHEELS**



27-5L DESERT PALMS



27-5L DESERT PALMS




27-5L DESERT PALMS

ARCTIC FOX GRANDE

29-5K SOLITAIRE AZUL




GRANDE RONDE



RONDE 5TH WHEELS

29-5T WINDSWEPT SERENITY



**ARCTIC FOX
GRANDE RONDE
5TH WHEELS**



32-5M DESERT PALMS

GRANDE RONDE



35-5Z WINDSWEPT SERENITY





EXPLORE NORTHWOOD QUALITY



ROOF

Full Walk On Roof with Bonded Roof Truss System

FRAME

Thick Wall Aluminum w/Solid Anchor Blocking

SLIDE OUTS

4 Seals, Dual Rack & Pinion Rams (main slides)
Insulated, Cross Ventilating Windows

FLOORS

Commercial Grade Linoleum, Fully Insulated
Tongue and Groove Plywood (not chipboard)

CHASSIS

Custom Built, Independently Tested & Certified

CABINETS

Wall & Ceiling Mounted, Face Frame Construction

INSULATION

A True 4 Season Coach



DUAL RACK & PINION RAM MAIN SLIDE ROOM

- 22 Gray Accent Fiberglass Finish on Slide Out Side Wall
- 23 4 Seal System
- 24 w/Inner & Outer Bulb Seal ...including Wiper Seal
- 25 Continual Seal in Any Position ...and Outer Bulb Seals

A NORTHWOOD ROOF TRUSS SYSTEM

- 1 Heavy Gauge One Piece Roof Membrane
- 2 3/8" Plywood Sheathing (Bonded to Trusses)
- 3 R-15 Reflective 'Arctic' Foil Insulation
- 4 R-18 Dual Layer Fiberglass Insulation
- 5 Bow Style Roof Trusses (Bonded to Ceiling)
- 6 Interior Lamination Grade Luan Plywood
- 7 Ozite Ceiling Carpet Finish (Silver Fox only)

B HIGH DENSITY ONE PIECE LAMINATED WALLS

- 9 Designer Interior Decor Finish Paneling
- 10 Heavy Gauge Fully Welded Aluminum Superstructure
- 11 Solid Wood Fill - Full Thread Depth Anchor Blocking
- 12 Virgin 2 lb Rigid Dense Block Foam Insulation
- 13 Steel Inlaid Bonderizer Anchor Strips
- 14 Lamination Grade Luan Plywood Exterior Wall Layer
- 15 Second Luan Layer
- 16 Corona Treated High Durability Fiberglass Outer Layer

Arctic Fox is a True Four Season Coach

C ULTIMATE DURABILITY FLOOR STRUCTURE

- 17 Residential Quality Plush Commercial Carpeting
- 18 Commercial Grade Linoleum with 20 mil Surface
- 19 5/8" T&G Plywood Decking (not chipboard)
- 20 R-7 Residential Grade Fiberglass Insulation
- 21 Reinforced Woven Highway Moisture Barrier

Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.

E MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 26 Independently Certified Custom Built Northwood Chassis
- 27 Residential Quality Formaldehyde Free Fiberglass Insulation
- 28 Corrugated Underbelly Panels
- 29 Heated and Insulated Large Capacity Holding Tanks
- 30 Easy Lube Axles and Shocks
- 31 Heavy Duty Radial Tires
- 32 Sealed All Metal Heat Ducts
- 33 Aerodynamic Fiberglass Front Cap
- 34 Morlyde RPB pin box
- 35 All Foam Condensation Resistant A/C Ducts
- 36 Extra Large 'Starlite' Bedroom Skylight
- 37 Large Skylight
- 38 Hi Output Roof Mount A/C
- 39 Roto Molded High Durability Wheel Skirts
- 40 Diamond Scored Sidewall Skirts
- 41 Diamond Plate Gravel Guard





My wife and I retired in 2015 and decided to be fulltime RVers. So we purchased a new 2015 Arctic Fox 32-5M which has served us well. We have lived in it fulltime and traveled over 40,000 miles mostly in the western states. Then we got the urge to visit Alaska in a smaller RV. So we purchased a new 2017 Arctic 865 truck camper. So we parked the fifth wheel in southern Arizona and took off on a 5 month 12,000 mile adventure to a Alaska. We are back in our fifth wheel home now and just wanted to let you know that neither RV has ever been to a shop for repairs. We are happy campers. Doak Walker



Attached are several photos I took during a recent camping and fishing trip to Bishop Creek Canyon in the Inyo National Forest in California. There are several campgrounds in the canyon. I stayed at Big Trees Campground, a small beautiful campground located adjacent to Bishop creek. The Arctic Fox performed flawlessly!
Robert Tranter



Bill Zawlocki



This will be our third "real" winter. With proper preparation, our Arctic Fox keeps us warm and comfortable all winter long. We have already weathered a few nights this winter below zero and have not had any problems. We don't stop playing because we grow older, we grow older because we stop playing. Arleen & Shawn Prochazka



Just finished a 40-day 6,500 mile road trip in our 2016 27-5L. We had a wonderful time visiting 11 states, 10 National Parks and 5 National Monuments. The 27-5L performed flawlessly and was very comfortable regardless of the weather. We experienced overnight lows in lower 20's, 7" of snow on the Grand Canyon north rim and last week afternoon highs in the upper 90's. Can't say enough good things about our 27-5L!
Dave

WE ARE PRO CLASS



ARCTIC FOX NORTH FORK TRAVEL TRAILERS

Standard Features

Northwood Built, Independently Certified, Off-Road Chassis
Fully Welded, Thick-Wall Aluminum Frame Construction
One-Piece, Corona Treated, Continuous Fiberglass
Hot, Polyurethane Laminated Multi-Layered Substrate Walls
High Density Block Foam Insulation
Wide-Body Floorplan
E-Z Lube Axles w/Nev-R Adjust Forward
Self Adjusting Brakes
Aluminum Wheels / Tires & White Mod Spare
Shocks On All Four Wheels
Stabilizer Jacks / MORryde Step Above w/Strut Assist
All-Conditions/Four Seasons Insulation With R-18 Ceiling
R-15 Reflective Foil Insulation in Roof
Heated Holding Tanks / Cathedral Arched Ceiling
Aerodynamic One Piece Front Cap w/BackRoad Armor
2 Independently Switched LED Hitch Lights
Easy Access LP Cover / Diamond Plate Bumper Wrap
LED Interior & Exterior Lighting
Roof Rack & Phatt Ladder / Omni-Directional TV Antenna
SLAM Door Latches on Pass Thru Storage Doors
12V Light in Storage Compartment
LPG Quick Connect & Black Water Flush System
Large Exterior Entry Grab Handle
Entry Door Friction Hinge
Exterior Shower / 2 Afox Logo Director's Chairs
Semi-Automatic Winterization/By-Pass System
10 Gal DSI Gas/Elect Quick Recovery Water Heater
13.5m BTU Air Conditioner w/Condensation-Resistant Ducting
Carefree Travel'R 12V LED Awning w/Adjustable Pitch HW

45 Watt Solar Panel / Sidewall Solar Port
12-Volt Power Tongue Jack
Outside Speakers / Battery Disconnect
Frameless Thermal Pane Windows
Generator Ready / Satellite Ready / Solar Ready
Interior Command Center
Afox Signature Throw Blanket
Roller Bearing Drawer Glides
Slow Rise Night Shades / Hidden Hinges on Cabinet Doors
12v LED TV & AM/FM/CD/DVD Player w/Bluetooth
Smoke, LPG & CO Leak Detectors
Solid Surface Kitchen Countertops
Charge Wizard / Digital Thermostat
Residential, Built-In Microwave / Range Cover
1.5 Cu Ft Over-The-Range, Convection Micro w/Range Hood (28f,29RK,32A)
Large Fridge (10 Cu Ft) w/ Cold Weather Kit
Arctic Fox Signature Clock & Entry Mat
Solid Surface Kitchen/Bathroom Countertops
Custom One Piece Formed Countertops & Dinette Table
Daylitter Kitchen Skylight w/ Shade
FanTastic Vent (Bedroom)
Porcelain, Foot-Pedal Toilet / Bath Skylight
FanTastic Vent - Bathroom (Exhaust Only)
Glass Shower Enclosure / Shower Pan
NW TruRest Queen Mattress w/ Bedspread
Recessed Storage Headboard w/LED Accent Lighting
Built-In Laundry Chute
USB Charging Ports: Dinette & Both Sides of Bed

Options

Battery Box Kit
Alumaguard Main Awning
15K Low Pro Air Conditioner w/Ducting
15K Air Conditioner w/ Ducting
2" Receiver Hitch
Holding Tank Heat Pads (All Tanks)
Dual Motor Sliding Stab Jacks, Front & Rear
Bedroom Carpet w/Pad
2.5 Onan LP Gen---
---(tied to 11K A/C option)
100 Watt Solar Panel
170 Watt Solar Panel
7 Point Leveling System
Winegard Carryout G2+ Sat Dish---
---(DISH/DIRECT)
11K Pwr Saver A/C---
---(use w/2.5 Generator option)
RV BBQ
Rear View Camera
Gateway Router



YOUR LOCAL DEALER:

Travel Trailers



Model Number	25R	25W	25Y	28F	29RK	32A
Dry Axle Weight (approx. Lbs.)	5898	6831	6640	7533	7705	7864
Dry Hitch Weight (approx. Lbs.)	711	764	802	769	805	1030
Net Carrying Capacity	4091	3105	3258	2698	1890	2106
Gross Dry Weight-Lbs (approx. Lbs.)	6609	7595	7442	8302	8510	8894
Gross Vehicle Weight Rating (GVWR)-Lbs.	10700	10700	10700	11000	10400	11000
Exterior Length (approx. w/hitch)	27'3"	29'6"	30'0"	30'0"	32'7"	34'4"
Exterior Height (approx. incl. AC unit)	11'7"	11'7"	11'7"	11'11"	11'11"	11'11"
Exterior Width (approx. w/o awning)	8'6"	8'6"	8'6"	8'0"	X	8'0"
Tire Size	ST225	ST225	ST225	ST235	ST235	ST235
	75R15	75R15	75R15	80R16	80R16	80R16
Load Range	E	E	E	E	E	E
Fresh Water w/ Water Heater (approx. gal.)	63	57	57	58	58	67
Gray Water Tank (approx. gal.)	44	35/35	47	40	35/40	55
Black Water Tank (approx. gal.)	35	35	35	35	35	42
LPG Capacity (approx. gal.)	14	14	14	14	14	14
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTU's)	25	30	30	30	30	30

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com - Arctic Fox

Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.

ARCTIC FOX GRANDE RONDE 5TH WHEELS

Standard Features

Northwood Built, Independently Certified, Off-Road Chassis
Fully Welded, Thick-Wall Aluminum Frame Construction
One-Piece, Corona Treated, Continuous Fiberglass
Hot, Polyurethane Laminated Multi-Layered Substrate Walls
High Density Block Foam Insulation
Wide-Body Floorplan/MORryde Step Above w/Strut Assist
E-Z Lube Axles w/Nev-R Adjust Forward, Self Adjusting Brakes
Heavy Duty Greaseable Suspension / 2" Receiver Hitch
16" Aluminum Wheels / Tires & White Mod Spare
MORryde RPB Pin Box / Leveling System
All-Conditions/Four Seasons Insulation With R-18 Ceiling
R-15 Reflective Foil Insulation in Roof / Slides
Heated Holding Tanks / Cathedral Arched Ceiling
Aerodynamic One Piece Front Cap
2 Independently Switched LED Hitch Lights
Fiberglass Rear Cap / LED Cap Accent Lights
LED Interior & Exterior Lighting
Roof Rack & Phatt Ladder / 45 Watt Solar Panel
Exterior Convenience Center / Sidewall Solar Port
SLAM Latch Luggage Doors
Magnetic Lugg Door Catches
LPG Quick Connect & Black Water Flush System
Large Exterior Entry Grab Handle
Entry Door Friction Hinge
Exterior Shower / 2 Afox Logo Director's Chairs
Semi-Automatic Winterization/By-Pass System
16 Gal DSI Gas/Elect Quick Recovery Water Heater
13.5m BTU Air Conditioner w/Condensation-Resistant Ducting
Carefree Travel'R 12V LED Awning w/Adjustable Pitch HW
12v Power Landing Gear
Omni-Directional TV Antenna
Outside Speakers/Battery Disconnect
Frameless Thermal Pane Windows w/ Custom Trim

Exterior Security Lights
Generator Ready / Satellite Ready / Solar Ready
Livingroom & Bedroom Carpet w/ Pad
Interior Command Center
Afox Signature Throw Blanket
Fabric Night Shade Window Treatments
110 LED Smart TV & AM/FM/CD/DVD Player w/Bluetooth
Digital Thermostat
Roller Bearing Drawer Glides
Custom One Piece Formed Countertops
Slow Rise Night Shades / Hidden Hinges on Cabinet Doors
Furnon Cooking Suite
1.5 Cu Ft Over-The-Range
Smoke, LPG & CO Leak Detectors / Charge Wizard
Convection Micro w/Range Hood
Free-Standing Table With 4 Chairs (most models)
Extra Large Fridge w/ Cold Weather Kit
Lighted Toe Kick
Arctic Fox Signature Clock & Entry Mat
Daylitter Kitchen Skylight w/ Shade / Ceiling Fan
FanTastic Vent w/Remote/Tstat/Rain Sensor (Kitchen)
Solid Surface Bathroom Countertops w/SS Sink
Exhaust Only Fan Vent - Bathroom
Porcelain, Foot-Pedal Toilet / Bath Skylight
Telescoping Lighted Vanity Mirror / Lock Box
NW TruRest Mattress w/UltraDeck Sleep System
Glass Shower Enclosure
Bathroom Courtesy Light
FanTastic Vent w/Remote
Tstat/Rain Sen (Bedroom)
Bedroom Starlite w/ Shade
USB Charging Ports @ Dinette and on Both Sides of Bed

Options

32" 110V LED Smart TV Bedroom
Surround-Soundbar
Slide-Out Topper
Alumaguard Main Awning
2nd A/C (Low Pro 13.5K)-
---Replaces Bdrm Fan Vent
--50 Amp Service Required
50 Amp Service
15K Low Pro Air Conditioner w/Ducting
15K Air Conditioner w/ Ducting
Slow Rise Night Shades
Holding Tank Heat Pads (All Tanks)
Dual Motor Sliding Stab Jacks,Rear
3.6 Onan LP Generator
5.5 Onan Gold LP Gen...
...50 Amp Service Required
100 Watt Solar Panel
170 Watt Solar Panel
Winegard Carryout G2+...
...Sat Dish (DISH/DIRECT)
(HD Sat-Call For Options)
RV BBQ
Rear View Camera
Gateway Router



Fifth Wheels



Model Number	27-5L	29-5K	29-5T	32-5M	35-5Z
Dry Axle Weight (approx. Lbs.)	8689	10059	10140	10563	11599
Dry Hitch Weight (approx. Lbs.)	2246	2895	2490	2928	2795
Net Carrying Capacity	2665	3346	3170	2809	1706
Gross Dry Weight-Lbs (approx. Lbs.)	10935	12954	12630	13491	14394
Gross Vehicle Weight Rating (GVWR)-Lbs.	13600	16300	15800	16300	16100
Exterior Length (approx. w/hitch)	29'9"	35'10"	34'7"	36'10"	39'8"
Exterior Height (approx. incl. AC unit)	13'5"	13'6"	13'4"	13'5"	13'5"
Exterior Width (approx. w/o awning)	8'6"	8'6"	8'6"	8'6"	8'6"
Tire Size	ST235	LT235	ST235	LT235	LT235
	80R16	85R16	85R16	85R16	85R16
Load Range	E	G	G	G	G
Fresh Water w/ Water Heater (approx. gal.)	88	88	88	88	88
Gray Water Tank (approx. gal.)	67/35	67/35	67	67	67
Black Water Tank (approx. gal.)	65	65	65	65	65
LPG Capacity (approx. gal.)	20	20	20	20	20
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTU's)	35	35	35	35	35



Send us your testimonial with your pictures and you may be featured in our future promotions. Send your information to: feedback@northwoodmail.com



Updated Mar. 2022